

Brushless Motors (Outrunners)

OUTRUNNERS (CD-Rom/Bell)

2408-21 (1750KV)	£7.82
Weight: 45g; Size: 30mm x 27mm; Voltage: 2-3 Cells Li-Poly; Max Current: 12A; Prop: 7 x 6 ~ 8 x 4 GWS SF; Trust: 450g	
2409-12 (1500KV)	£11.92
Weight: 45g; Size: 30mm x 27mm; Voltage: 2-3 Cells Li-Poly; Max Current: 20A; Prop: 8 x 4 ~ 8 x 6 APC-E; Trust: 650g	

OUTRUNNERS

A2406-21T (1650KV) / (80W) for Schokies	£9.78
Weight: 33g; Size: 28mm x 17.5mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 12A; Prop: 7 x 6 ~ 8 x 4.3 SF	
T2208/14 (1400KV) / (100W+) for Schokies	£10.75
Weight: 36g; Size: 27.5mm x 26mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 12A; Prop: 8 x 4 ~ 9 x 6	
T2212/10 (1400KV) / (120W+)	£12.72
Weight: 47g; Size: 27.5mm x 30mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 16A; Prop: 8 x 4 ~ 9 x 6	
T2212/13 (1000KV) / (120W+)	£12.72
Weight: 47g; Size: 27.5mm x 30mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 12A; Prop: 10 x 5 ~ 11 x 5.5	
T2212/15 (900KV) / (120W+)	£12.72
Weight: 47g; Size: 27.5mm x 30mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 12A; Prop: 10 x 5 ~ 11 x 6	
C2020 (2050KV) / (120W)	£16.63
Weight: 25.5g; Size: 23mm x 24mm; Shaft: 2.3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 13A; Prop: 7 x 6 ~ 8 x 4.3 (Included)	
T2217/7 (1400KV) / (200W+) 0.10~0.15	£19.84
Weight: 72g; Size: 27.5m x 30mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 32A; Prop: 9 x 4.5 ~ 10 x 5 APC-E	
T2217/9 (1000KV) / (200W+) 0.10~0.15	£19.84
Weight: 72g; Size: 27.5m x 30mm; Shaft: 3mm; Voltage: 3-4 Cells Li-Poly; Max Current: 25A; Prop: 10 x 5 ~ 11 x 7 SF	
A2409-12T (1570KV) / (200W+) .10~.15	£18.18
Weight: 68g; Size: 30mm x 23mm; Shaft: 3mm; Voltage: 2-3 Cells Li-Poly; Max Current: 24A; Prop: 8 x 4 ~ 9 x 4.5 APC; Thrust: 950g	
T2814/6 (1410KV) / (300W+) .15~.21	£22.86
Weight: 100g; Size: 35mm x 36mm; Shaft: 4mm ; Voltage: 2-3 Cells Li-Poly; Max Current: 40A; Prop: 9 x 6 ~ 10 x 6 APC; Thrust: 1.5Kgs	
T2814/8 (1000KV) / (300W+) .15~.21	£22.86
Weight: 100g; Size: 35mm x 36mm; Shaft: 4mm ; Voltage: 3-4 Cells Li-Poly; Max Current: 35A; Prop: 10 x 5 ~ 12 x 6 APC; Thrust: 1.5Kgs	
T2820/6 (1000KV) / (400W+) .25~.36	£27.34
Weight: 145g; Size: 35mm x 47mm; Shaft: 4mm ; Voltage: 3-5 Cells Li-Poly; Max Current: 37A; Prop: 10 x 7 ~ 12 x 6 APC; Thrust: 2Kgs	

Sims / Carbon / Motor Accessories

Flight Simulators

E-Sky USB Dummy Simulator	£29.35
USB Version; Mode 2; Software and instructions included; Great to practice and get orientation correct.	

CARBON (shipped as approx 2 equal lengths of 0.5m / 50cm) / Min 3 Lengths

ROD (SOLID)	
1.5mm.....	£1.37
2.0mm.....	£1.67
3.0mm.....	£2.25
4.0mm.....	£3.13
TUBES	
3.0mm x 1.5mm.....	£2.20
3.0mm x 2.0mm.....	£2.45
4.0mm x 2.5mm.....	£3.13
5.0mm x 4.0mm.....	£3.32
6.0mm x 5.0mm.....	£3.52
FLAT STRIP	
0.5mm x 3mm.....	£1.76
0.6mm x 5mm.....	£2.20
0.8mm x 3mm.....	£2.15
1.0mm x 6mm.....	£3.43



PROP ADAPTORS / REPLACEMENT SHAFTS / MOUNTS

Prop Saver (3mm Shaft)	£1.94
Prop Saver (3mm Extended Shaft)	£2.45
O-Rings (5)	£0.97
Prop Adaptor Collet Type (2.3mm/3mm/3.2mm)	£2.45
Prop Adaptor Collet Type (4mm)	£2.93
Prop Adaptor Collet Type (5mm)	£3.43
Replacement Shaft for 2408-xx/2409-xx/A240x-xxT/2215 Series	£1.47
Replacement Shaft for TP2098/2915/3520	£2.45
Replacement Shaft for Torque (T) Series 3mm / 4mm / 5mm	£1.47 / £1.96 / £2.45
Plastic Circular Stick Type Mount — D24 / D44	£1.96
Aluminium Mount for A2409-12T	£1.96
Glass Mount for A2409-12T	£2.45
Aluminium Mount for TP2908/2915/3520	£2.45
Aluminium Gearbox (3.9/4.5:1)	£6.60
Ferrite Clip	£1.94

NiMH's / Battery Checkers / Wires / Connectors

NiMH BATTERY RX & TX PACKS

4.8v 800mAH (4 Cells / AAA Cells) RX pack - Futaba 'J' Type connector	£6.36
4.8v 2000mAH (4 Cells / AA Cells) RX pack - Futaba 'J' Type connector	£9.74
4.8v 2100mAH (4 Cells / AA Cells) RX pack - Futaba 'J' Type connector	£8.76
6v 2600mAH (5 cells AA Cells) RX pack - Futaba 'J' Type connector	£12.67
4.8v 3700mAH (4 Cells / Sub C) RX pack - Futaba 'J' Type connector	£13.65
6v 3700mAH (5 Cells / Sub C) RX pack - Futaba 'J' Type connector	£18.55
9.6v 2100mAH (8 cells) TX pack - Flat / Square - Futaba 'J' type connector	£14.63
9.6v 2300mAH (8 cells) TX pack - Square - Futaba 'J' type connector	£16.63

BATTERY CHECKERS

Onboard 4.8V or 6V (NiMH/NiCd): Weight: 12g.....	£3.91 Or 5 for £15.64
1-4 Cell Li-Poly Cells Checker: Weight: 7g.....	£6.36

LEADS / WIRES / CONNECTORS

Y-Lead (50cm)	£1.96
Servo Extension (15cm)	£0.98
Servo Extension (30cm)	£1.22
Servo Extension (50cm)	£1.47
Servo Extension (100cm)	£1.96
Silicon Wire (50 cm Black / Red)	
10 AWG.....	£5.57
12 AWG.....	£3.93
14 AWG.....	£2.79
16 AWG.....	£2.20
18 AWG.....	£1.59
Gold Connectors (3 Pairs with Heatshrink)	
2mm.....	£2.45
3.5mm / 4mm	£1.94
6mm.....	£4.90
JST Connectors (Pair)	£0.97
JST Connectors with wire (Pair)	£1.47
Dean Style Connector (Pair)	£1.22
Li-Poly Balance connectors (Pairs) for 2 / 3 / 4 Cells	£0.97
Thunder Power / Flight Power Charger to JST-XH (RCM Direct) Li-Polys Conversion lead 2 / 3 / 4 Cells.....	£1.96
Polyquest / Hyperion Charger to JST-XH (RCM Direct) Li-Polys Conversion lead 2 / 3 / 4 Cells.....	£1.96
JST-XH Charger to Thunder Power / Flight Power Li-Poly Conversion lead 2 / 3 / 4 / 5 Cells	£1.96
JST-XH Charger to Polyquest / Hyperion Li-Polys Conversion lead 2 / 3 / 4 / 5 Cells	£1.96
JST-XH Extension Leads (7/20cm) 2 / 3 / 4 / 5 Cells.....	£1.96



Brushless Motors (Outrunners / Inrunners) / EDF

T3520 (830KV) / (600W+) .40~.46	£32.64
Weight: 200g; Size: 42mm x 47mm; Shaft: 5mm; Voltage: 3-5 Cells Li-Poly; Max Current: 50A; Prop: 11 x 5.5 ~ 13 x 4 APC; Trust: 2.2Kgs	
T4120 (710KV) / (800W+) .52~.60	£43.59
Weight: 309g; Size: 50mm x 55mm; Shaft: 8mm; Voltage: 4-6 Cells Li-Poly; Max Current: 60A; Prop: 11 x 6 ~ 13 x 8 APC; Trust: 3Kgs+	
T4130 (510KV) / (1000W+) .60~.90	£51.97
Weight: 410g; Size: 50mm x 65mm; Shaft: 6mm; Voltage: 4-6 Cells Li-Poly; Max Current: 65A; Prop: 13 x 6 ~ 16 x 10 APC; Trust: 5Kgs+	
A4130 (380KV) / (1000W+) .60~.90	£48.92
Weight: 400g; Size: 50mm x 65mm; Shaft: 8mm; Voltage: 5-8 Cells Li-Poly; Max Current: 60A; Prop: 14 x 10 ~ 18 x 10 APC; Trust: 5Kgs+	
A5330 (260KV) / (1.5KW+) .90~1.20	£66.94
Weight: 600g; Size: 63mm x 66mm; Shaft: 8mm; Voltage: 8-10 Cells Li-Poly; Max Current: 80A; Prop: 20 x 10 APC; Trust: 8Kgs	
A5320 (250KV) / (2KW+) 1.20~1.60	£82.20
Weight: 730g; Size: 63mm x 76mm; Shaft: 8mm; Voltage: 10-12 Cells Li-Poly; Max Current: 90A; Prop: 21 x 10 ~ 23 x 10 APC; Trust: 9~10Kgs	

BRUSHLESS INRUNNERS

B2040-6T (5100KV)	£23.48
Weight: 60 grams; Size: 20mm x 40mm; Shaft: 2.3mm; Current: 23 / 32Amps (Max)	
B2040-7T (3800KV)	£23.48
Weight: 60 grams; Size: 20mm x 40mm; Shaft: 2.3mm; Current: 16 / 22Amps (Max)	
B2835-6T (5100KV)	£28.37
Weight: 98 grams; Size: 28mm x 35mm; Shaft: 3mm; Current: 45Amps+	
B2835-8T (3900KV)	£28.37
Weight: 98 grams; Size: 28mm x 35mm; Shaft: 3mm; Current: 45Amps	

EDF UNITS

64mm	£14.67
65mm	£12.22
68mm	£13.20
89mm	£14.67

EDF UNIT WITH BRUSHLESS OUTRUNNERS

55mm x 33mm EDF + 5300KV Outrunner	£19.56
Weight: 91 grams; Current: 40Amps; 3 Cell Li-Poly; Thrust: 500+grams	
76mm x 40mm EDF + 2570KV Outrunner	£21.52
Weight: 113 grams; Current: 43Amps; 4 Cell Li-Poly Thrust: 750+grams	

Flight Packs / Car Combi's

FLIGHT PACKS (MOTOR & ESC COMBI'S)

FLIGHT PACK 1A (Shockie)	£18.40
A2406-21 + Warp 10/13A	
FLIGHT PACK 1B (Shockie)	£19.37
T2212/10 + Warp 10/13A	
FLIGHT PACK 1C (Shockie)	£29.78
A2406-21 + Melody 12/15A	
FLIGHT PACK 2A (for models upto 400 grams / 16 Oz)	£19.99
2408-21 + Warp 20/30A	
FLIGHT PACK 2B (for models upto 400 grams / 16 Oz)	£25.54
2408-21 + Melody 18/22A	
FLIGHT PACK 3A (for models upto 400 grams / 16 Oz)	£25.30
T2212/10 or T2212/13 or T2212/15 + Warp 20/30A	
FLIGHT PACK 3B (for models upto 400 grams / 16 Oz)	£30.44
T2212/10 or T2212/13 or T2212/15 + Melody 18/22A	
FLIGHT PACK 4A (for models upto 600 grams / 24 Oz)	£24.50
2409-12 + Warp 20/3A	
FLIGHT PACK 4B (for models upto 600 grams / 24 Oz)	£30.67
2409-12 + Melody 25/35A	
FLIGHT PACK 5A (for models upto 1000 grams / .10~.15)	£32.10
T2217/7 or T2217/9 + Warp 20/30A	
FLIGHT PACK 5B (for models upto 1000 grams / .10~.15)	£38.59
T2217/7 or T2217/9 + Melody 25/35A	
FLIGHT PACK 6A (for models upto 1000 grams / .10~.15)	£30.70
A2409-12T + Warp 20/30A	
FLIGHT PACK 6B (for models upto 1000 grams / .10~.15)	£36.93
A2409-12T + Melody 25/35A	
FLIGHT PACK 7A (for models upto 1600 grams / .15~.21)	£39.65
T2814/6 or T2814/8 + Warp 40/50A	
FLIGHT PACK 7B (for models upto 1600 grams / .15~.21)	£53.61
T2814/6 or T2814/8 + Melody 40/50A	
FLIGHT PACK 8A (for models upto 2000 grams / .25~.36)	£48.99
T2820 + Warp 40/55A	
FLIGHT PACK 8B (for models upto 2000 grams / .25~.36)	£58.09
T2820 + Melody 40/55A	
FLIGHT PACK 9 (for models upto 2500 grams / .40-.46 IC)	£82.49
T3520 + Melody 60/80A	

CAR COMBIS (MOTOR & ESC COMBI'S)

1/10th Scale	£63.61
5300KV Inrunner + Scion 18/50Amp ESC	
1/18th Scale	£97.86
4300KV Inrunner + Scion 35/190Amp ESC	
Li-Poly Guard	£10.75
Cut-Off for 2 Cell designed for Cars	

Battery Checkers / Props / Spinners

PROPELLERS

APC-E Type Props (Medium Hardness)


7 x 6 / 8 x 4 / 8 x 6.....	£1.37
9 x 6	£1.47
10 x 5.....	£1.76
11 x 5.5.....	£2.15
12 x 6	£2.15
13 x 4	£2.45
14 x 7.....	£2.45

APC-E Props

18 x 8 / 18 x 10	£11.50
19 x 8 / 19 x 10	£13.00
20 x 8 / 20 x 10	£15.00

Slow Fly Props (GWS)

5 x 3 / 6 x 3 HD.....	£1.22
7 x 6 / 8 x 4.3 / 8 x 6 / 9 x 4.7 / 9 x 7	£1.22
10 x 4.7 / 10 x 7 / 11 x 4.7 / 11 x 8 / 12 x 6 / 12 x 8.....	£1.47



Pusher Props

4 x 3 / 5 x 4.5 / 5.1 x 2.8 / 6.3 x 3.2 / 7 x 4.....	£1.22
--	--------------

Folding Propellers (Blades)

6 x 3 / 6 x 4 / 6.5 x 4	£1.67
7.5 x 4 / 8 x 4.5 / 8 x 6.....	£1.86
9.5 x 8 / 10 x 8.....	£1.91
11 x 6 / 11 x 8.....	£2.84
14 x 8.....	£3.23

SPINNERS

Spinners (Aluminium)

30mm - Collet Shaft Adapter Diameter: 2 / 2.3 / 3mm.....	£5.74
35mm - Collet Shaft Adapter Diameter: 2 / 2.3 / 3mm.....	£6.37
40mm - Collet Shaft Adapter Diameter: 3 / 4 / 5mm.....	£7.16
45mm - Collet Shaft Adapter Diameter: 3 / 4 / 5mm.....	£6.84
50mm - Collet Shaft Adapter Diameter: 4 / 5 / 6mm.....	£7.82

Spinners (Aluminium — folding propellers)

30mm - Collet Shaft Adapter Diameter: 2 / 2.3 / 3mm.....	£6.37
35mm - Collet Shaft Adapter Diameter: 2 / 2.3 / 3mm.....	£7.00
40mm - Collet Shaft Adapter Diameter: 3 / 4 / 5mm.....	£7.79
45mm - Collet Shaft Adapter Diameter: 3 / 4 / 5mm.....	£8.75
50mm - Collet Shaft Adapter Diameter: 4 / 5 / 6mm.....	£9.86

Spinners (Plastic — folding propellers)

30mm (1.2 inches) - Collet Shaft Adapter Diameter: 2mm.....	£3.72
34mm (1.3 inches) - Collet Shaft Adapter Diameter: 2.3mm.....	£3.72
45mm (1.75 inches) - Collet Shaft Adapter Diameter: 3mm.....	£3.72

Servos / Li-Poly Chargers / Receivers / XTAL's

SERVOS

Tower Pro — SG51R	£4.09 or 4 for £15.99
Weight: 5.4 grams; Size: 21.5mm x 11.7mm x 25.1mm; Speed: 0.1sec/60 degrees ; Torque: 0.6Kgs	
Tower Pro — SG91R	£4.09 or 4 for £15.99
Weight: 9 grams; Size: 23mm x 12.2mm x 29mm; Speed: 0.1sec/60 degrees; Torque: 1.8Kgs	
Tower Pro — MG90S - Mini Metal Geared Servo	£6.83
Weight: 13.4 grams; Size: 23mm x 12.2mm x 29mm; Speed: 0.10sec/60degree (4.8v) ; 0.08sec/60degree (6v); Torque: 1.8kg/cm (4.8v) / 2.9kg/cm (6v)	
Tower Pro — MG16R - Mini Digital Metal Geared Servo	£11.50
Weight: 18.8 grams; Size: 29mm x 11.2mm x 29mm ; Speed: 0.10sec/60degree (4.8v) ; 0.08sec/60degree (6v); Torque: 2.7kg/cm (4.8v) / 2.9kg/cm (6v)	
Tower Pro (SG5010) Standard	£9.83
Weight: 43 grams - Size: 40mm x 20mm x 36.5mm; Speed: 0.20sec/60 degrees; Torque: 6Kgs	
Tower Pro (MG995) Metal Geared	£14.67
Weight: 55 grams - Size: 40.6mm x 20mm x 38mm - Speed: 0.20sec/60 degrees; Torque: 11Kgs	
Tower Pro (MG945) Metal Geared	£14.67
Weight: 55 grams - Size: 40.6mm x 20mm x 38mm - Speed: 0.24sec/60 degrees; Torque: 13Kgs	
Servo Tester	£8.80
Spare Gears (SG50/51/90/91)	£1.47



LI-POLY CHARGERS

* SPECIAL * 2-3 Cell Balanced Li-Poly Charger (RCM Direct) for £7.50 only when purchased with a Li-Poly Pack;	
7.4V / 11.1V; Cut-off Method: Auto detect; Charge Rate: 0.8 Amps; Weight: 49g	
2-3 Cell Balanced Li-Poly Charger (RCM Direct)	£9.78
7.4V / 11.1V; Cut-off Method: Auto detect; Charge Rate: 0.8 Amps; Weight: 49g	

RECEIVERS & RX Xtals

RCM Direct 6 Channel (35Mhz)	£13.80 or 3 for £34.99
Weight: 10 grams; Size: 36mm x 18mm x 10mm ; Range: Full; Requires Full size xtal	
RX Xtals (Ch 60~80) Pico and Standard - Futaba compatible	£4.40


Brushless Brushed Speed Controllers (ESC) / Li-Poly

WARP SERIES BRUSHLESS SPEED CONTROLLERS

Warp 10/13A	£8.62
BEC: 1Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 6-10 cells	
Warp 20/30A	£12.58
BEC: 2Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 6-10 cells	
Warp 30/40A	£16.79
BEC: 2Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 6-10 cells	
Warp 40/50	£21.67
BEC: 3Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 6-10 cells	

MELODY SERIES BRUSHLESS SPEED CONTROLLERS

Melody 6/8A	£18.24
BEC: 0.8Amps; Li-Poly: 2 Cells; NiMH/NiCad: 5-6 cells	
Melody 10/12A	£13.45
BEC: 1Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 5-12 cells	
Melody 12/15A	£20.12
BEC: 1Amps; Li-Poly: 2-4 Cells; NiMH/NiCad: 5-12 cells	
Melody 18/22A	£15.75
BEC: 2Amps; Li-Poly: 2-4 Cells; NiMH/NiCad: 5-12 cells	
Melody 25/35A	£18.75
BEC: 2Amps; Li-Poly: 2-4 Cells; NiMH/NiCad: 5-12 cells	
Melody 40/55A	£30.75
BEC: 3Amps; Li-Poly: 2-6 Cells; NiMH/NiCad: 5-18 cells	
Melody 60/80A	£49.85
BEC: 3Amps; Li-Poly: 2-6 Cells; NiMH/NiCad: 5-18 cells	
Melody 80/100A	£63.61
BEC: 3Amps; Li-Poly: 2-6 Cells; NiMH/NiCad: 5-18 cells	
Melody 100/120A HV	£102.75
BEC: NA; Li-Poly: 2-12 Cells; NiMH/NiCad: 4-36 cells	
Melody Interface Programming Card	£8.61
3Amp UBEC	£9.78



MELODY SERIES BRUSHED SPEED CONTROLLERS

Melody Eagle 20/25A	£9.78
BEC: 1Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 4-10 cells	
Melody Eagle 30/40A	£14.67
BEC: 1Amps; Li-Poly: 2-3 Cells; NiMH/NiCad: 4-10 cells	

LI-POLY BAGS

Regular	£11.73
Size: 215mm x 80mm	
Large	£14.67
Size: 300mm x 232mm	

Lithium Iron Phosphate / Polymer Batteries (Li-Poly)

2100mah 20C Lithium Iron Phosphate

6.4v (2 Cell) — Continuous 20C (42Amps) ; Burst 30C (63Amps).....	£22.50
Weight: 130 grams ; Size: 110mm x 40mm x 16mm	
9.6v (3 Cell) — Continuous 20C (42Amps) ; Burst 30C (63Amps).....	£34.25
Weight: 192 grams ; Size: 110mm x 40mm x 24mm	
12.8v (4 Cell) — Continuous 20C (42Amps) ; Burst 30C (63Amps).....	£45.99
Weight: 261 grams ; Size: 110mm x 40mm x 32mm	



11.1v (3 Cell) 10C / 15C Lithium Polymer

3600mAH — Continuous 10C (36 Amps) ; Burst 15C (54 Amps).....	£45.33
--	---------------

7.4v (2 Cell) 20C / 30C Lithium Polymer

300mAH — Continuous 20C (6 Amps) ; Burst 30C (12 Amps).....	£5.99
Weight: 28 grams ; Size: 58mm x 20mm x 11mm	
540mAH — Continuous 20C (10.8 Amps) ; Burst 30C (15 Amps).....	£6.78
Weight: 34 grams ; Size: 58mm x 30mm x 11mm	
850mAH — Continuous 20C (17 Amps) ; Burst 30C (25 Amps)	£8.72
Weight: 46 grams ; Size: 73mm x 30mm x 11mm	
1050mAH — Continuous 20C (20 Amps) ; Burst 30C (30 Amps).....	£9.70
Weight: 63 grams ; Size: 70mm x 36mm x 14mm	
1350mAH — Continuous 20C (26 Amps) ; Burst 30C (39 Amps).....	£12.39
Weight: 82 grams ; Size: 90mm x 34mm x 14mm	
1750mAH — Continuous 20C (34 Amps) ; Burst 30C (51 Amps).....	£13.91
Weight: 102 grams ; Size: 89mm x 35mm x 16mm	
2250mAH — Continuous 20C (44 Amps) ; Burst 30C (66 Amps).....	£17.03
Weight: 128 grams ; Size: 106mm x 36mm x 14mm	

11.1v (3 Cell) 20C / 30C Lithium Polymer

540mAH — Continuous 20C (10.8 Amps) ; Burst 30C (15 Amps).....	£12.04
Weight: 49 grams ; Size: 56mm x 31mm x 17mm	
850mAH — Continuous 20C (17 Amps) ; Burst 30C (25 Amps).....	£13.05
Weight: 70 grams ; Size: 65mm x 34mm x 14mm	
1050mAH — Continuous 20C (20 Amps) ; Burst 30C (30 Amps).....	£14.47
Weight: 91 grams ; Size: 70mm x 35mm x 20mm	
1350mAH — Continuous 20C (26 Amps) ; Burst 30C (39 Amps).....	£17.28
Weight: 119 grams ; Size: 90mm x 34mm x 22mm	
1750mAH — Continuous 20C (34 Amps) ; Burst 30C (51 Amps).....	£20.77
Weight: 146 grams ; Size: 83mm x 35mm x 24mm	
2250mAH — Continuous 20C (44 Amps) ; Burst 30C (66 Amps).....	£25.51
Weight: 175 grams ; Size: 100mm x 34mm x 23mm	
3450mAH — Continuous 20C (68 Amps) ; Burst 30C (102 Amps).....	£51.05
Weight: 287 grams ; Size: 92mm x 36mm x 50mm	
4450mAH — Continuous 20C (88 Amps) ; Burst 30C (120 Amps).....	£60.84
Weight: 362 grams ; Size: 110mm x 35mm x 48mm	

Lithium Polymer Batteries

14.8v (4 Cell) 20C / 30C Lithium Polymer

2200mAH — Continuous 20C (44 Amps) ; Burst 30C (66 Amps).....	£33.95
Weight: 249 grams ; Size: 105mm x 33mm x 33mm	
3400mAH — Continuous 20C (68 Amps) ; Burst 30C (102 Amps).....	£67.87
Weight: 390 grams ; Size: 190mm x 36mm x 34mm	
4500mAH — Continuous 20C (90 Amps) ; Burst 30C (135 Amps).....	£84.37

18.5v (5 Cell) 20C / 30C Lithium Polymer

2200mAH — Continuous 20C (44 Amps) ; Burst 30C (66 Amps).....	£52.84
Weight: 315 grams ; Size: 111mm x 35mm x 40mm	
3400mAH — Continuous 20C (68 Amps) ; Burst 30C (102 Amps).....	£73.39
Weight: 482 grams ; Size: 92mm x 80mm x 36mm	
4400mAH — Continuous 20C (88 Amps) ; Burst 30C (132 Amps).....	£97.86
Weight: 618 grams ; Size: 107mm x 83mm x 30mm	

7.4v (2 Cell) 25C / 50C Lithium Polymer

1000mAH — Continuous 25C (25 Amps) ; Burst 50C (50 Amps).....	£13.90
Weight: 56 grams ; Size: 70mm x 36mm x 12mm	
1300mAH — Continuous 25C (32.5 Amps) ; Burst 50C (65 Amps).....	£18.03
Weight: 72 grams ; Size: 88mm x 35mm x 12mm	
1800mAH — Continuous 25C (45 Amps) ; Burst 50C (90 Amps).....	£19.56
Weight: 96 grams ; Size: 106mm x 35mm x 14mm	
2200mAH — Continuous 25C (44 Amps) ; Burst 50C (61.6 Amps).....	£25.44
Weight: 116 grams ; Size: 106mm x 35mm x 16mm	

11.1v (3 Cell) 25C / 50C Lithium Polymer

1000mAH — Continuous 25C (25 Amps) ; Burst 50C (50 Amps).....	£20.41
Weight: 83 grams ; Size: 83mm x 36mm x 17mm	
1300mAH — Continuous 25C (32.5 Amps) ; Burst 50C (65 Amps).....	£26.61
Weight: 107 grams ; Size: 88mm x 35mm x 17mm	
1800mAH — Continuous 25C (45 Amps) ; Burst 50C (90 Amps).....	£34.94
Weight: 143 grams ; Size: 106mm x 35mm x 19mm	
2200mAH — Continuous 25C (44 Amps) ; Burst 50C (61.6 Amps).....	£42.08
Weight: 173 grams ; Size: 106mm x 35mm x 24mm	